

Medium-Term Health Impacts of Shocks Experienced *In Utero* and After Birth: Evidence from Detailed Geographic Information on War Exposure *

Richard Akresh

University of Illinois at Urbana-Champaign, NBER, BREAD, and IZA

German Daniel Caruso

University of Illinois at Urbana-Champaign

Harsha Thirumurthy

University of North Carolina at Chapel Hill and BREAD

November 5, 2014

Abstract

This paper estimates the impact of armed conflict on subsequent health outcomes using detailed geographic information on households' distance from conflict sites—a more accurate measure of conflict exposure—and compares the impact on children exposed *in utero* versus after birth. The identification strategy relies on exogenous variation in the conflict's geographic extent and timing as well as the exposure of different birth cohorts while *in utero* or after birth. Results show that war-exposed children subsequently have lower height-for-age Z-scores, and impacts using GPS information are 87-188% larger than if exposure is measured at the imprecise regional level. Effects of *in utero* and after birth exposure are comparable in magnitude, and children in the war instigating and losing country (Eritrea) suffer more than the winning nation (Ethiopia). Results are robust to including region-specific time trends, alternative conflict exposure measures, and addressing potential bias due to selective migration.

Keywords: Child health; Conflict; Economic shocks; Africa

JEL classification: I12, J13, O12

* Contact Information: Richard Akresh (Corresponding author), University of Illinois at Urbana-Champaign, Department of Economics, 1407 West Gregory Drive, David Kinley Hall, Room 214, Urbana, IL 61801. Email: akresh@illinois.edu;

German Daniel Caruso, University of Illinois at Urbana-Champaign, Department of Economics, 1407 West Gregory Drive, David Kinley Hall, Room 214, Urbana, IL 61801. Email: gdcarus2@illinois.edu;

Harsha Thirumurthy, University of North Carolina at Chapel Hill, Department of Health Policy and Management, CB 7411, Chapel Hill, NC 27599-7411. Email: harsha@unc.edu.

1. Introduction

Environmental and economic shocks experienced *in utero* and during early childhood have been shown to be especially harmful not only because they may affect health outcomes in the short-term but also because they may influence health and economic outcomes in adulthood (see reviews by Strauss and Thomas, 2008; Currie and Vogl, 2013).¹ However, determining the causal effects of early life shocks on subsequent outcomes in a convincing manner has proven to be challenging, due partly to limitations in available data and suitable identification strategies.

The possibility that early-life growth disturbances might affect future health outcomes is particularly relevant in sub-Saharan Africa, where armed conflict has occurred with greater frequency than in other regions of the world. Nearly 70 percent of all countries in sub-Saharan Africa have experienced an armed conflict since 1980 (Raleigh et al., 2010). In many cases, particularly in Africa, the conflicts are started or exacerbated by territorial disputes.² Despite the casualties and destruction caused by conflicts and the potential for such shocks to affect various indicators of well-being, the impacts of conflict on health have only recently started to receive attention in the literature.³ One challenge in this literature has been that most datasets are imprecise in identifying which households were exposed to conflicts.

¹ Research exploring the impact of shocks has focused on different adverse events including malnutrition (Case et al., 2005; Maluccio et al., 2009; Maccini and Yang, 2009; Almond and Mazumder, 2011), famine (Dercon and Porter, 2010), conflict (Bundervoet et al., 2009; Akresh et al., 2011; Akresh et al., 2012; Mansour and Rees, 2012; Akbulut-Yuksel, 2014; Valente, forthcoming), diseases and epidemics (Almond, 2006; Bleakley, 2007; Bhalotra and Venkataramani, 2012), natural disasters and extreme weather events (Currie and Rossin-Slater, 2013; Aguero, 2014; Caruso, 2014a, 2014b; Rosales-Rueda, 2014), and pollution (Currie et al., 2009; Nilsson, 2009).

² The U.S. Central Intelligence Agency World Factbook (2014) lists over 187 regions in the world that have disputes over international land or sea boundaries or have resource or resident disagreements; 50 of these are in Africa.

³ Seminal work on conflict focuses on understanding the causes and spread of war and its role in reducing growth (Collier and Hoeffler, 1998; Miguel et al., 2004; Do and Iyer, 2010; Harari and La Ferrara, 2013; Burke et al., 2014). The magnitude of conflicts long-term negative economic consequences are debated in the literature (see Davis and Weinstein (2002) for Japan; Brakman et al. (2004) for Germany; Bellows and Miguel (2009) for Sierra Leone). A growing literature examines the relationship between conflict and education outcomes (Akresh and de Walque, 2008; Miguel and Roland, 2011; Shemyakina, 2011). Research focusing only on soldiers finds negative impacts on their earnings, and soldiers exposed to more violence face a harder time reintegrating into civilian society (Angrist, 1990; Blattman and Annan, 2010).

This paper studies the effects of the 1998-2000 Eritrea-Ethiopia conflict on the future health status of children by using survey data from both countries that contain information on the geographic location of households and taking advantage of variation in the timing of the conflict with respect to when children were born. By using geographic location data, the paper identifies the effect of conflict exposure in a more accurate way than previous work. Moreover, the paper compares the health effects of *in utero* versus early childhood exposure to the conflict, thereby assessing the relative importance of growth disturbances during these two critical periods. Lastly, the paper explores several plausible mechanisms by which the conflict may have affected child health, focusing in particular on the role of health-seeking behaviors such as antenatal care.

The 1998-2000 Eritrea-Ethiopia conflict was based on a territorial border dispute between the two countries.⁴ When Eritrea, formerly a province of Ethiopia, became independent in 1993 following a long guerrilla conflict, sections of the new border were never properly demarcated. Full-fledged fighting began in May 1998 over these areas, which have been described as desolate and inconsequential. More than 300,000 troops were dug in and deadlocked on both sides of the border. Most of the conflict's casualties were soldiers, since most civilians left the conflict-torn areas, leaving the armies to fight over empty villages. The availability of Demographic and Health Survey (DHS) data that were collected in both countries in the years following the conflict (Eritrea in 2002; Ethiopia in 2000 and 2005) provides a unique opportunity to study the effects of this conflict on subsequent health outcomes of children. The primary outcome that we study is the height-for-age Z-score, which is likely to capture lingering effects of any growth disturbances that may have occurred earlier in life during the conflict.

⁴ In the past 35 years, border wars were fought in Africa (Djibouti and Eritrea in 2008, Mauritania and Senegal starting in 1989, Burkina Faso and Mali in 1985, Ethiopia and Somalia in 1982), Asia (Cambodia and Thailand in 2008, India and Bangladesh in 2001, Israel and Lebanon starting in 2000, India and Pakistan in 1999, Thailand and Laos starting in 1987, India and China in 1987, Pakistan and India starting in 1984, Iran and Iraq starting in 1980, Vietnam and China starting in 1979), and South America (Ecuador and Peru in 1995, Ecuador and Peru in 1981).

This paper makes two main contributions to the literature on the impacts of shocks on children's welfare and goes significantly beyond previous research that examined the effects of the Eritrea-Ethiopia conflict but only on child outcomes in Eritrea (Akresh et al., 2012). First, to identify the impact of conflict-related shocks, the paper addresses the traditional difficulty in correctly classifying a child's exposure. Whereas a typical approach is to compare large regions that did and did not experience fighting, in this paper we use global positioning system (GPS) data on the distance between survey villages and conflict sites to accurately measure the likely exposure that a child had to the conflict. With this approach, in Eritrea, 24% of households within 100 kilometers (km) of the conflict sites had been previously coded as being in non-war regions, while in Ethiopia, 28% of households within 100-300 km of the conflict sites had been previously coded as being in non-war regions and 2.2% of households that were more than 300 km from the conflict sites were coded as being in a war region. We show that this approach makes a difference in the estimated effects of conflict, with households living closer to conflict sites having 87-188% larger impacts than if imprecise regional measures of exposure are used.⁵

Second, because of the fortuitous timing of the household survey data collection, we are able to explore whether effects of the conflict differ between children who were *in utero* at the time of the conflict and those who were in early childhood. Much of this research on the fetal origins hypothesis follows seminal work by Barker (1995). There are a number of reasons why *in*

⁵ The contributions highlighted here are also the key differences between our paper and the most closely related prior work by Akresh et al. (2012) who explore the impact of this same war on health outcomes but only for children in Eritrea. In particular, being able to accurately locate a child's household due to GPS data ensures that we correctly measure the child's war exposure and address the shortcomings in previous research. While that previous research found that correcting for a household's war-time migration across regions led to estimated negative impacts that are 13% larger, we find that taking into account how far the household is from the conflict leads to estimated negative impacts of war exposure that approximately double in Eritrea and triple in Ethiopia in magnitude. Due to data limitations, it is unfortunately not possible to correct for both the war-time migration across regions and the GPS distance to the conflict, but it is clear that the GPS correction is significantly larger. In addition, the current paper measures the welfare impacts for both sides involved in the conflict, thereby providing a more comprehensive and robust understanding of how winning or losing such conflicts affects children's well-being. We are able to examine whether conflict-exposed individuals in Ethiopia, which won the conflict, suffer smaller health consequences than conflict-exposed individuals in Eritrea.

utero exposure may be harmful to child health. These include poorer maternal nutrition due to disruptions in food supply or income shocks, a lack of adequate antenatal care, and the possibility that the conflict reduced the number of deliveries in the presence of trained providers. Our paper examines the relative importance of exposure during these two critical time periods, something that has not been done in previous research on the effects of armed conflicts. Contrary to other recent papers that report no later-life effects of shocks experienced *in utero* (Endara et al., 2009; Maccini and Yang, 2009; Fletcher, 2014), a notable result in our paper is that Ethiopian and Eritrean children exposed to the war *in utero* do have significantly lower heights.

Our results indicate that several years after the conflict ended, there was a significant reduction in the height-for-age Z-scores of children who resided in conflict-affected regions at the time of the conflict. This effect increased with the number of months of conflict exposure; in Eritrea, each month of exposure (*in utero* and after birth) resulted in a significant reduction in the Z-score of -0.039 standard deviations while the corresponding effect in Ethiopia was -0.017 standard deviations. Based on the average number of months that children in the DHS samples for the two countries were exposed to the conflict, these estimates translate into overall reductions of 0.73 and 0.26 standard deviations, respectively. Classifying conflict exposure based on GPS distance from conflict sites reveals that children nearest to the conflict sites suffered even larger effects (1.37 and 0.76 standard deviations in Eritrea and Ethiopia, respectively), and the negative impact diminished as distance from the conflict increased. These results highlight the importance of measuring exposure to shocks with detailed geographic information rather than region-based indicators. Lastly, results indicate that each month of exposure *in utero* or after birth negatively impacts child height-for-age Z-scores and the magnitude of the effects during both critical periods are comparable in size.

The remainder of the paper is organized as follows. Section 2 provides an overview of the history of the Eritrea-Ethiopia conflict and sketches the spatial and temporal event data for the most recent war. Section 3 describes the survey data used in the analysis and explains the key variables. Section 4 describes the empirical identification strategy and Section 5 presents the main results as well as robustness tests. Section 6 concludes.

2. Background on the Eritrean-Ethiopian conflict

The Eritrean-Ethiopian conflict lasted two years starting in 1998 and stemmed from a border dispute. The two countries had a long history of conflict with each other prior to 1998. The post-World War II period saw the former Italian colony of Eritrea become a region of Ethiopia, but growing dissatisfaction with Ethiopian occupation led to a prolonged period of armed struggle by the Eritrean People's Liberation Front (EPLF) against the Ethiopian Marxist government. The conflict against Ethiopia ended in 1991 and coincided with the end of the Ethiopian civil war in which a coalition of rebel groups, the Ethiopian People's Revolutionary Democratic Front (EPRDF), overthrew the government and came to power under the leadership of Meles Zenawi. Following a referendum in Eritrea in May 1993, the sovereign nation of Eritrea was formed with the EPLF leader Isaias Afwerki as President (EPLF was later renamed the People's Front for Democracy and Justice). The immediate period following Eritrean independence saw generally friendly relations between Eritrea and Ethiopia, in part because the governments had fought together against the previous Marxist government that formerly controlled Ethiopia.

At the time of Eritrean independence, both countries claimed sovereignty over three border areas: Badme, Tsorona-Zalambessa, and Bure (see Figure 1 for a regional map of Eritrea and Ethiopia highlighting these three areas). Continued disputes in these three border areas combined with larger conflicts over trade and other economic issues proved to be a major

obstacle to maintaining peace between the two countries.⁶ In May 1998, fighting broke out between Eritrean and Ethiopian soldiers and security police in the Badme area, which was under Ethiopian control.⁷ Within a week, the Ethiopian Parliament declared war on Eritrea. Both countries devoted substantial resources to growing their armies, augmenting their military equipment, and fortifying their borders, which included digging extensive trenches. After the initial period of intense conflict, heavy fighting resumed in February 1999 as Ethiopia succeeded, despite high casualties, in retaking the border town of Badme, but the battles around Tsorona-Zalambessa were not conclusive. Both sides initially rejected efforts by regional groups to mediate an end to the conflict, but eventually a Cessation of Hostilities agreement was brokered on June 18, 2000 and a 25-kilometer-wide demilitarized Temporary Security Zone was established along the 1,000 kilometer Eritrea-Ethiopia border and patrolled by United Nations peacekeeping forces. A final comprehensive peace agreement was signed December 12, 2000.⁸

The exact timing and location of the conflict plays a key role in our empirical strategy for identifying the effects of the conflict on child health. The conflict intensity varied across areas within Ethiopia and Eritrea. Distance from the conflict sites was an important determinant of conflict intensity. Areas far from the border zones experienced little or no fighting; whereas the most intense clashes took place in the border areas near Badme, Tsorona-Zalambessa, and Bure. While exact figures of the number of casualties due to the conflict are difficult to ascertain, most estimates of the total number of fatalities, mainly among soldiers, range from 70,000-100,000 (Human Rights Watch, 2003).

⁶ Eritrea's independence in 1993 meant Ethiopia became a landlocked country, with implications for its trade and economic organization.

⁷ The Eritrea-Ethiopia Claims Commission (2005) states, "The areas initially invaded by Eritrean forces... were all either within undisputed Ethiopian territory or within territory that was peacefully administered by Ethiopia and that later would be on the Ethiopian side of the line to which Ethiopian armed forces were obligated to withdraw in 2000 under the Cease-Fire Agreement of June 18, 2000."

⁸ The empirical analysis in this paper treats this as the date the war ended, but our results are consistent if we treat June 2000, the date when the Cessation of Hostilities agreement was brokered, as the time when the war ended.

Even though most casualties were soldiers, thousands of civilians were displaced and this represented a central mechanism through which conflict may have affected child health. Displaced households suffered large reductions in food production, asset losses, and had limited access to clean water or health infrastructure. By late 1998, estimates suggest approximately 250,000 Eritreans had been internally displaced and another 45,000 Ethiopian citizens of Eritrean origin were deported from Ethiopia (Global IDP Project, 2004a). The Eritrean government and other observers estimate that during the conflict nearly 1.1 million Eritreans were internally displaced, although this number declined substantially by the conflict's end (Global IDP Project, 2004a). The Ethiopian government estimates that by December 1998, 315,000 Ethiopians were internally displaced, with the two regions that border Eritrea (Tigray and Afar) having the greatest number of internally displaced persons (IDPs). The United Nations Ethiopia Country Team estimates that by May 2000 the number of IDPs in Ethiopia had risen to 360,000 (Global IDP Project, 2004b).⁹ By most accounts, households directly affected by the conflict and those that were internally displaced tended to be located closest to the areas of the clashes.

3. Data

3.1 Demographic and Health Surveys in Eritrea (2002) and Ethiopia (2000 and 2005)

Our analyses make use of three different waves of data from the DHS conducted in Eritrea and Ethiopia. The DHS are nationally representative cross-sectional surveys that gather information on demographic topics such as fertility, child mortality, health service utilization, and nutritional status of mothers and young children. The 2002 Eritrea DHS collected detailed information on

⁹ This level of conflict-induced displacement is typical, as currently 27.1 million individuals worldwide are IDPs due to conflict. For example, during the last decade in Africa, the number of IDPs due to conflict reached 3.5 million in Angola, 633,000 in Burundi, 200,000 in Central African Republic, 180,000 in Chad, 150,000 in Congo-Brazzaville, 750,000 in Côte d'Ivoire, 3 million in Democratic Republic of Congo, 359,000 in Guinea, 600,000 in Kenya, 450,000 in Liberia, 550,000 in Nigeria, 600,000 in Rwanda, 70,000 in Senegal, 1.3 million in Sierra Leone, 1.5 million in Somalia, 6.1 million in Sudan, 1.7 million in Uganda, and 1 million in Zimbabwe (IDMC, 2010).

the date of birth, GPS location, and height of 5,139 children under five born before, during, or after the conflict with Ethiopia. The 2000 Ethiopia DHS collects similar information for 9,619 children under five, all of whom were born before or during the Eritrea conflict. To have a control group of children in the conflict regions of Ethiopia who were not exposed to conflict, we also use the 2005 Ethiopia DHS that has information for 4,217 children under five. Our analyses rely on DHS data for information on health outcomes (described below) as well as other individual and household characteristics of children including geographical information on their residence at the time of the survey and in some cases during the time of the conflict.

3.2 Health outcomes

Since child height (conditional on age and gender) can be sensitive to past growth failures due to malnutrition or illness, it is generally accepted as a good way to capture long-term health disturbances (World Health Organization, 1995). Using anthropometric information contained in the DHS for children 0-60 months of age, we compute Z-scores for each child's height-for-age, where the Z-score is defined as the difference between the child's height and the mean height of the same-aged international reference population, divided by the standard deviation of the reference population. Our analysis also examines other information on health behaviors and health outcomes to better understand mechanisms by which conflict may influence height-for-age Z-scores. In particular, we examine data on hospital deliveries, maternal postpartum amenorrhea, self-reported birth size, and vaccinations.

3.3 Measures of conflict exposure

We construct three measures of a child's exposure to the Eritrea-Ethiopia conflict. The first is a continuous measure of the number of months of conflict exposure and is defined at the region-birth cohort level. This allows us to exploit variation across two dimensions: spatial (variation

across regions in exposure to the conflict) and temporal (within a given region, the timing of whether a child was *in utero* or early childhood during the conflict period). Specifically, we use information on a child's region of residence and date of birth to calculate the number of months the child was exposed to the conflict *in utero* (defined as 9 months prior to the date of birth) and the number of months a child was exposed to the conflict after birth. The exposure measure is set to zero months if the child resided in a region that was not affected by the conflict. As we discussed in Section 2, the fighting was centered on the border regions near the three towns of Badme, Tsorona-Zalambessa, and Bure, so in Eritrea, the conflict regions are defined as Gash Barka, Debub, and Debubawi Keyih Bahri, while in Ethiopia they are Tigray and Afar.

Since conflict-induced displacement was an important mechanism through which the conflict impacted child health, we also incorporate direct measures of the number of IDPs in each region to proxy for the conflict's intensity. The IDP data come from the United Nations Office for the Coordination of Humanitarian Affairs (UN OCHA) in Eritrea and Ethiopia. All of the IDPs are clustered in the three conflict regions in Eritrea and the two conflict regions in Ethiopia (Global IDP Project 2004a, b). Specifically we use the number of IDPs in each region as a proportion of the region's pre-war population as a measure of conflict intensity.

Lastly, to address potential measurement error that would wrongly misclassify children as conflict-exposed because they live in a region that experienced fighting even if their village was far from the conflict sites or would wrongly misclassify children as non-conflict exposed because they live in a non-war region but were actually close to the conflict sites, we construct a third measure of conflict exposure using GPS information on the residence location of children at the time of the survey. Specifically, we calculate the distance from each survey village to the nearest conflict site and classify exposure based on different distance bands of 0-100 kilometers (km),

100-200 km, 200-300 km, and greater than 300 km. In creating this measure, we use distance to the nearest conflict site even if it crosses region boundaries. The distance bands are then interacted with the number of months of exposure to create the third conflict exposure measure.

4. Empirical Identification Strategy

Our approach to determining the effect of the Eritrean-Ethiopian conflict on child health relies on an examination of how height-for-age Z-scores of children vary as a function of different durations of exposure to the conflict and variation in the degree to which their area of residence was affected by the conflict. We begin by estimating the following regression that includes region and birth cohort fixed effects:

$$(1) \quad HAZ_{ijt} = \alpha_j + \delta_t + \beta_1(\text{Total Months War Exposure})_{ijt} + \beta_2 X_{ijt} + \gamma_{jt} + \varepsilon_{ijt}$$

where HAZ_{ijt} is the height-for-age Z-score for child i in region j who was born in period t , α_j are region fixed effects, δ_t are year of birth cohort fixed effects, $\text{Total Months of War Exposure}_{ijt}$ measures the total number of months a child was alive or *in utero* during the conflict period and living in a war region (it equals zero for children in regions unaffected by the war), and ε_{ijt} is a random, idiosyncratic error term.¹⁰ The regression also includes household and individual level controls (X_{ij}), such as child gender and household head schooling. In addition, to address the potential for differential time trends in height-for-age Z-scores across regions, the regressions include region-specific time trends (γ_{jt}). The coefficient β_1 measures the effect of an additional month of exposure to the conflict on children's height-for-age Z-scores. It is important to emphasize that identification of the effect of the conflict in this model comes from variation in the duration of exposure (conditional on adjustments for age cohort effects) rather than a simple comparison of conflict and non-conflict regions.

¹⁰ Using pre-war poverty data for all regions in Eritrea and Ethiopia, we also confirm that the results in the paper are similar when non-war regions are limited to those with similar pre-war poverty levels as the war regions.

We also examine if the conflict effect differs based on how long a child was exposed while *in utero* or after birth. We estimate the following regression building on Equation (1):

$$(2) \quad HAZ_{ijt} = \alpha_j + \delta_t + \beta_1 \text{Months War Exposure In Utero}_{ijt} \\ + \beta_2 \text{Months War Exposure After Birth}_{ijt} + \beta_3 X_{ijt} + \gamma_{jt} + \varepsilon_{ijt}$$

where *Months War Exposure In Utero*_{ijt} measures the number of months a child was *in utero* during the war period and living in a war region and *Months War Exposure After Birth*_{ijt} measures the number of months a child was alive during the war and living in a war region.

Residence in a conflict region alone does not capture the size of the disruptions caused by the conflict. To address this, we consider an alternative definition of conflict exposure that measures the number of IDPs in each region as a proportion of the region's pre-war population. As war-induced displacement was likely an important channel through which conflict impacted child health, this measure will proxy for the war's intensity in that region. The war intensity variable is interacted with total months of war exposure described above. Identification comes from variation across regions with different numbers of IDPs as well as variation in the duration of exposure to the conflict. We estimate the following regression incorporating IDP data:

$$(3) \quad HAZ_{ijt} = \alpha_j + \delta_t + \beta_1 (\text{Intensity of Total Months War Exposure})_{ijt} \\ + \beta_3 X_{ijt} + \gamma_{jt} + \varepsilon_{ijt}$$

We also estimate modified versions of Equation (3) in which the effect of the conflict varies based on the number of months of exposure *in utero* and after birth.

In defining conflict exposure based on living in one of the three regions in Eritrea or two regions in Ethiopia where fighting took place – or even on the basis of the number of IDPs in each region – there is a potential for wrongly classifying villages far from the conflict sites as conflict exposed (and vice versa in the case of villages in non-conflict regions that are

nonetheless close to conflict sites). This can result in biased estimates as some regions extend many kilometers from the conflict sites (see Afar in Ethiopia and Debubawi Keyih Bahri in Eritrea). Likewise, we might be excluding households close to conflict sites that may have been affected by conflict but were actually in a non-conflict defined region (see Semenawi Keyih Bahri in Eritrea). To more accurately measure a child's conflict exposure, our empirical strategy takes advantage of information on the distance of each survey village to the conflict sites. We test for the effect of each additional month of exposure to the conflict in three different distance categories (with a fourth category, greater than 300 km, serving as the reference group):

$$(4) \quad HAZ_{ijt} = \alpha_j + \delta_t + \beta_4 X_{ij} + \gamma_{jt} + \beta_1 (Total\ Months\ War\ Exposure\ 0 - 100km)_{ijt} \\ + \beta_2 (Total\ Months\ War\ Exposure\ 100 - 200km)_{ijt} \\ + \beta_3 (Total\ Months\ War\ Exposure\ 200 - 300km)_{ijt} + \varepsilon_{ijt}$$

where *Total Months War Exposure 0-100 km* measures the number of months a child was alive or *in utero* during the war period and living within 0-100km from the conflict sites, with the other exposure variables defined similarly but for different distances from the conflict sites.¹¹

Our empirical analysis includes several extensions to the regressions above as well as robustness checks. Since the main regression results are based on a child's residence at the time of the survey, there is a possibility of bias due to children having resided elsewhere during the time of the conflict. We take two approaches to addressing this issue. First, all children from households that reported having lived elsewhere during the war are reclassified as residing in a war region.¹² This is a conservative approach to dealing with the bias due to endogenous migration as some of these children who moved during the war and currently reside in a non-war

¹¹ In robustness checks discussed in Section 5.2 and Appendix Table 4, we also examine a child's war exposure that is based on a continuous distance measure and results are consistent.

¹² This involves reclassifying 10.9% and 5.9% of children in Eritrea and Ethiopia, respectively. In Eritrea (but not Ethiopia), we have data on the region of residence at the time of the conflict, and we can tell that only 3.9% of children should have been reclassified instead of 10.9%.

region might have been living in another non-war region during the war. Second, in Eritrea, we use actual information contained in the survey on the region of residence at the time of the conflict and examine what happens to the results when this re-classification is done.

5. Empirical Results

5.1 Difference-in-Differences Estimation (War region and Geospatial location)

Table 1 provides summary statistics for the children in the analysis broken down by whether the child lived close to the conflict sites (0-100 km) or farther away (more than 100 km). In Ethiopia and Eritrea, children residing close to conflict sites have lower Z-scores than those residing farther away, although the difference is statistically significant only in Ethiopia. Children near the conflict sites are also worse off in other ways, as indicated by the lower schooling attainment of household heads. Since the regions affected by the conflict tended to be worse off even prior to the conflict, it is important to not simply compare the height-for-age Z-scores of children in war-affected and war-unaffected regions when seeking to determine the impact of the conflict.

The results from our initial attempt to examine the impact of the conflict after including region fixed effects and controlling for age, individual, and household characteristics are reported in Table 2. Specifically, we present the results of estimating Equations (1) and (2) for Ethiopia (panel A) and Eritrea (panel B).¹³ In the first two columns, each child's residence is classified according to the region of residence at the time of the DHS. In columns 3 and 4, the child's residence is classified as the potential region of residence at the time of the conflict, whereby any child who moved during the conflict is assigned to the conflict regions. In columns

¹³ In all of the regressions, we include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and the following household characteristics: household head's gender, age, years of schooling, mother's height, number of members in the household, number of children in the household under age 5, and whether the household resides in an urban area. Correlation among the error terms of children living in the same local environment and experiencing similar health shocks might bias the OLS standard errors downward, so in all regressions we cluster the standard errors by enumeration area, which corresponds to local clusters of villages (Moulton, 1986).

5 and 6, using data that is only available for Eritrea, the child's residence is classified as their known region of residence at the time of the conflict to accurately capture conflict exposure. Column 1 of Table 2 shows that for children exposed to the conflict *in utero* or after birth, each additional month of exposure results in a significant reduction of height-for-age Z-scores (by 0.017 in Ethiopia and 0.039 in Eritrea). When children's exposure is classified on the basis of their potential residence at the time of the conflict (column 3), the effects on height-for-age Z-scores remain similar (-0.014 in Ethiopia and -0.040 in Eritrea) and continue to be statistically significant. This indicates our results are robust to an extremely conservative adjustment for migration during the conflict. In Eritrea, the results based on classifying residence as the region in which the child resided at the time of the conflict (column 5) also shows a similar effect size to that obtained when residence is classified as the region of residence at the time of the survey.

Another important result in Table 2 pertains to the distinct effect of exposure to the conflict *in utero* as opposed to early childhood. In both Ethiopia and Eritrea, we find that the effects of exposure after birth are larger (reductions in the Z-scores of 0.019 and 0.047 for each month of exposure in Ethiopia and Eritrea, respectively), although we cannot reject equality in Eritrea. In Ethiopia, there is no statistically significant effect on height-for-age Z-scores of *in utero* exposure to conflict. In contrast, in Eritrea, *in utero* exposure does result in a significant reduction of Z-scores, by 0.034 for each month of exposure. In summary, Table 2 (focusing on exposure at the region level) provides evidence that exposure to the conflict after birth is associated with significant negative effects on height-for-age Z scores. To interpret these results more easily, it is helpful to consider as an example the effects of children exposed to the conflict for 9 months *in utero* or 9 months after birth: a child in Eritrea exposed to the conflict for 9

months *in utero* experienced a reduction of 0.306 in their height-for-age Z-score whereas a child exposed to the conflict for 9 months after birth experienced a reduction of 0.423 in their Z-score.

An alternative measure of conflict exposure that we discussed in Section 3 is the intensity of the conflict in the child's region of residence. Estimating a model based on this measure (Equation 3) produces results in Table 3 that are largely consistent with those reported in Table 2. It is in the regions most affected by the conflict – as measured by the proportion of IDPs – that children experience the largest setbacks to their growth. Each month of exposure reduces the height-for-age Z-scores of children, and this impact increases as a function of conflict intensity in the region. The main results, based on residence at the time of the survey, indicate that an increase of 1 percent in the IDP proportion of a region's population reduces the height-for-age Z-scores by 0.0017 and 0.0015 for each month of total exposure (*in utero* and after birth) in Ethiopia and Eritrea, respectively.¹⁴ The effects are similar when residence is based on classifying all children who migrated as having been in conflict regions. When the effects of the conflict are allowed to differ as a function of exposure *in utero* and after birth (column 2), we find statistically significant effects of exposure after birth in both countries.¹⁵

Using geospatial data on the proximity of each household to conflict sites enables a more careful examination of the ways in which the conflict affected children's subsequent health outcomes. Estimating regression models that use distance from conflict sites as the measure of conflict exposure (Equation 4), we find that an additional month of exposure *in utero* or after

¹⁴ These impacts are large and meaningful, especially when considering the number of IDPs in each country. In Ethiopia and Eritrea, respectively, 8.6% and 21.1 % of the population in the war regions were IDPs. In Ethiopia, the mean number of months of exposure for children in the DHS sample was 15.5; in Eritrea it was 18.8. Thus, a child who experienced the conflict for the mean number of months in a region experiencing the average war intensity would have 0.23 or 0.60 standard deviations lower height-for-age Z-scores in Ethiopia and Eritrea, respectively.

¹⁵ It is also possible that households experiencing negative shocks sent out children to live with other relatives (see Akresh (2009) for evidence on the link between negative shocks and child fostering). Although we do not have any information in the survey about this, we are unable to tell which direction, if any, this might bias the results depending on whether the most healthy or the least healthy child was fostered, but most of the child fostering literature finds the rate of fostering for children under five to be extremely low.

birth significantly reduces the height-for-age Z-scores of children nearest to conflict sites by 0.049 in Ethiopia and by 0.073 in Eritrea (Table 4a, columns 1 & 2). Table 4a shows exposure at any distance within 300 km of the conflict sites (relative to the reference group of children living more than 300 km from the conflict sites) is negatively related to worse child outcomes. Importantly, it also shows that within 300 km of the conflict sites, there is a decreasing gradient in the effect of conflict as a function of distance from the conflict sites. The gradient is most noticeable and statistically significant in Ethiopia, a much larger country than Eritrea and one in which distance from the conflict sites is likely to have been more relevant for whether economic and nutritional conditions – and consequently children’s health status – would be affected. As the p-values at the bottom of Table 4a show, in Ethiopia the effect of being within 100 km of the conflict sites is significantly larger than the effect of being 200-300 km away. This is not the case in Eritrea, as the effect of conflict does not appear to decline as much with distance from conflict sites. These results showcase the importance of geographical data for further illuminating the effects of conflicts and accurately measuring the size of these effects.¹⁶

In Table 4b, we separately examine the effect of exposure *in utero* and after birth and results indicate that in the areas closest to conflict sites, both types of exposure result in negative impacts on height-for-age Z-scores. This is true in both Ethiopia and Eritrea. Effects of *in utero* and after birth exposure are roughly comparable in magnitude. While the estimates for Ethiopia indicate smaller negative impacts *in utero* compared to after birth, we cannot reject equality of the coefficients with p-values of 0.23, 0.29, and 0.81 for the three distance ranges, respectively.

¹⁶ It is important to note the migration data in the DHS surveys is only at the region level. Therefore, to estimate the regressions in columns 3 and 4 based on potential residence at the time of the war, we make the strong assumption that any child who moved during the war is reassigned to the closest distance to the conflict sites (0-100 km). In Ethiopia and Eritrea, respectively, 56% and 13% of the children within 0-100 km were reclassified as being close to the war sites for columns 3 and 4 compared with columns 1 and 2. Results in Eritrea based on potential residence are comparable as only a limited number of children were reclassified. In Ethiopia, negative impacts close to the conflict sites are still statistically significant but are much smaller, since a larger fraction of children were reclassified.

While the evidence so far suggests there are large and significant reductions in height-for-age Z-scores as a result of conflict exposure, an important public policy and intra-household resource allocation question is whether boys and girls are affected differently. With this in mind, the results in Table 5 are noteworthy because they show remarkably similar negative impacts of conflict exposure in both countries for boys as well as girls. The magnitude of the impact is slightly larger for girls in Ethiopia and slightly larger for boys in Eritrea – but in neither case are the differences statistically significant. The distance gradient within 300 km for conflict impacts is noticeable for boys in both countries and girls in Ethiopia.

As part of our analyses, we pool the Ethiopia and Eritrea data to directly compare the effects of the conflict in the two countries. Specifically, we estimate a fully interacted model, including interactions of all variables with an indicator variable for Eritrea. The results in Appendix Table 1 indicate children from conflict regions in Eritrea – the war-instigating and losing country – have significantly lower height-for-age Z-scores than children from conflict regions in Ethiopia (in column 1, there is an additional impact of -0.023 in Eritrea for each month of combined exposure *in utero* and after birth). This result holds even when we classify residency based on potential residency during the conflict (column 3). When we examine the separate effects of exposure *in utero* versus after birth (column 2), we again find that children in Eritrea are more affected by the conflict. They have significantly lower height-for-age Z-scores as a result of *in utero* exposure (0.043 lower for each additional month of conflict exposure) and due to early childhood exposure (0.028 lower for each additional month of conflict exposure).

A similar pattern emerges in the pooled data when we examine the effects of the conflict based on distance from conflict sites. Appendix Table 2a shows that for each category of distance from conflict sites, children in Eritrea have more negative effects on height-for-age Z-

scores than children in Ethiopia. When we classify residency based on residence at the time of the survey (column 1), the effect of each month of conflict exposure (*in utero* or after birth) on the height-for-age Z-scores of children closest to the conflict sites in Eritrea is 0.024 larger than in Ethiopia. Among children at intermediate or farther distances from conflict sites, the effects on children in Eritrea are also significantly more negative.¹⁷

5.2 Robustness Checks

To determine whether the conflict effects are robust to a range of possibilities that could generate biased results, in Appendix Tables 3-6 we present additional analyses. In Appendix Table 3, we include mother fixed effects in the regression, which allows us to control for characteristics of the child's mother that do not vary across siblings. Identification is driven by comparing children of the same mother, each of whom experienced different months of conflict exposure. In the sample of households with multiple children under five, results indicate significant negative effects for each month of conflict exposure for both Ethiopia and Eritrea for most distances from the conflict, although the distance gradient is not as evident as before. Also in contrast to the Table 4a results, the magnitude of the effects is smaller in both countries. In Appendix Table 4, we define households' proximity to the conflict sites on the basis of the *relative* distance within the sample rather than the absolute distance.¹⁸ The results indicate that relative proximity – or closeness – results in larger reductions in the height-for-age Z-score. The effect of relative proximity is found for *in utero* exposure as well as exposure after birth.

Another concern regarding the validity of the main estimates relates to the possibility that fertility and mortality patterns may be different in areas that were exposed to the conflict with

¹⁷ In Appendix Table 2b using pooled data, we highlight the different impacts for children exposed *in utero* and after birth. Children exposed *in utero* experience larger negative impacts on height-for-age Z-scores in Eritrean than Ethiopia for each of the proximity categories, but the effects of exposure after birth are similar in the two countries.

¹⁸ Specifically, proximity is defined for each country as the maximum distance from the conflict site minus the household's actual distance to the conflict site.

varying severity. We examine fertility patterns by comparing characteristics of women based on whether they had children during the conflict and their region of residence (Appendix Table 5). There is relatively little evidence that women who had a child during the conflict and reside in a war region are systematically different than other women. In Ethiopia, there is evidence that taller women were more likely to have children in war regions during the conflict (an effect that would only bias our main results downward). In Eritrea, there is evidence of an effect on the age of women who had children, but this effect is likely to be too minor to influence the main results.

In Appendix Table 6, we use DHS data on child mortality to examine whether conflict exposure resulted in increased mortality. The results generally do not indicate a significant effect on mortality, with the exception that in Ethiopia children exposed after birth and residing less than 100 km from conflict sites had significantly higher mortality. This overall lack of relationship between conflict exposure and mortality should be understood in the context of an environment with already extremely high under-5 mortality (pre-war under-5 mortality rates in Ethiopia and Eritrea are 162 and 105 deaths per 1000 live births, respectively). As deceased children were likely those with poorer health (and possibly from poorer households), such a result would only lead to a downward bias in the main results reported in the paper.¹⁹

5.3 Conflict Impact Mechanisms

Identifying specific reasons for the negative effects of conflicts on child health can be useful for interpreting the main results of this paper and also developing better policies to prevent such negative effects in the future. Displacement of households might be a key channel by which children's health status is affected, but the absence of detailed survey information on the

¹⁹ An additional factor that could bias our results is also worth discussing briefly. Mismeasurement of a child's age would likely make our estimates lower bounds of the true impact, as parents would probably underreport the age of short children making their malnutrition seem less severe than it is. Since the household roster collects the exact birth date of all children in a household under five and misreporting on one child would be more difficult as it would influence the birth dates of the household's other children, such mismeasurement may be somewhat less likely.

movement of households limits our ability to examine this issue thoroughly. Many families were internally displaced in both countries due to the conflict. Due to this, households could have been directly worse off through loss of harvests and assets, disruption of businesses, and reduced access to medicines, health clinics, and clean water. While the DHS data lack detailed information on some of these reasons, in Table 6 we assess the impacts of the conflict on relevant health-seeking behaviors and outcomes that are observed in the DHS data.²⁰

One possibility is that access to health services was reduced during the conflict. We examine the conflict's effects on the likelihood that children were delivered at a formal health clinic or hospital where the risk of infections is lower and availability of personnel capable of managing complications is higher. The results (column 1) indicate that in Ethiopia the conflict had a negative impact on the likelihood of such delivery taking place. In Eritrea, the impacts are negative but not statistically significant (though in regressions based on war regions, the impacts are of the same magnitude and statistically significant). A second possibility is that prenatal factors (including nutrition and maternal stress) were affected by the conflict and led to reduced birth weight. Mothers were asked during the survey about the size of the child at birth, and we examine an indicator reporting if the child was "very small." In Ethiopia, children who were in households close to conflict sites are more likely to have been very small at birth. In Eritrea, however, we find no evidence of an effect on birth size. This is puzzling in light of the generally larger impacts of the conflict on height-for-age Z-scores in Eritrea. Additional evidence that mothers exposed to the conflict might have had worse nutrition or suffered more stress can be seen in column 3, which shows that conflict exposure led to greater durations of postpartum amenorrhea in mothers; these impacts were found in both Eritrea and Ethiopia (Aguirre, 1996).

²⁰ There could also be effects on children who were not displaced by the conflict but resided in areas with many displaced individuals (Baez, 2011).

Finally, there is suggestive evidence that in Eritrea, children exposed to the conflict receive fewer vaccinations in their first year of life. Overall, disruptions in the health care environment (reductions in deliveries at clinics and reduced vaccination coverage) combined with greater maternal stressors (higher amenorrhea and increased low birth weight children) are potential mechanisms that could explain negative health effects observed for conflict-exposed children.

6. Conclusion

This paper quantifies the medium-term health consequences of the Eritrea-Ethiopia conflict using a variety of different methods and conflict exposure measures. The findings show large negative effects of the conflict on the height-for-age Z-scores of children exposed to the conflict. Since children and households in a number of other resource-limited settings have been exposed to conflicts that feature internal displacement and disruptions of health services, this paper has relevance for the larger literature on the medium- and long-term effects of armed conflicts.

The empirical methods used in this paper overcome several challenges to identifying the causal effect of conflict exposure. We compare children exposed to the conflict for varying durations and at different stages (*in utero* and after birth). We also classify children's conflict exposure on the basis of the geographical coordinates of their residence. We find the effects of *in utero* and after birth exposure to the conflict are similar in magnitude, and children in the losing country (Eritrea) suffer more than the winning country (Ethiopia). Focusing on the estimates of children's conflict exposure based on GPS distance from conflict sites indicates that the Eritrea-Ethiopia conflict led to overall reductions of 0.76 to 1.37 standard deviations (approximately 1 to 2 inches) in Ethiopia and Eritrea, respectively, and the negative impact was reduced as distance from the conflict sites increased. These effect sizes of conflict exposure defined in terms of distance from conflict sites are approximately three- and two-fold higher (for Ethiopia and

Eritrea, respectively) than the effect sizes of conflict exposure defined on the basis of politically defined subnational units, which is the standard approach taken in much of the literature examining impacts of conflict. As height-for-age Z-scores are considered important health indicators of children and are associated with health and employment outcomes later in life, the results in this paper offer insight on the likely long-term effects of the conflict. Using available estimates of the effect of early childhood height on school attainment and wages, the results in this paper suggest that the conflict may lead to reductions in adult wages of about 8% and 14% in Ethiopia and Eritrea, respectively.²¹

Understanding the detailed mechanisms by which conflicts affect the health of children remains a challenge that future research will need to address. By examining several health-seeking behaviors as well as indicators of maternal stressors, we found suggestive evidence that conflict exposed children were less likely to be delivered at hospitals and received fewer vaccinations in their first year of life, overall indicators that health service delivery might have been compromised in the conflict areas. Furthermore, conflict exposure led to children being more likely to be very small at birth and mothers being more likely to experience amenorrhea. These disruptions in health care delivery and added maternal stressors are potential mechanisms that could explain the negative height effects observed for conflict exposed children. From a policy standpoint, these results suggest households may not have adequate coping mechanisms for conflicts that disrupt economic conditions and lead to displacement, even if the number of civilian casualties is limited. The results also reinforce the importance of considering medium- and longer-term health consequences when designing and implementing post-conflict services.

²¹ We base this rough back-of-the-envelope calculation on the estimate that a one standard deviation reduction in height correlates with 0.678 fewer grades completed in Zimbabwe (Alderman et al., 2006) and that the return to an extra year of school in Ethiopia is 15% (Krishnan et al., 1998).

References


- Aguero, Jorge. 2014. "Long-Term Effect of Climate Change on Health: Evidence from Heat Waves in Mexico." Inter-American Development Bank Working Paper 481.
- Aguirre, Guido Pinto. 1996. "The Determinants of Postpartum Amenorrhea: A Multi-State Hazard Approach." University of Wisconsin, Madison Center for Demography and Ecology Working Paper 96-03.
- Akbulut-Yuksel, Mevlude. 2014. "War during Childhood: The Long Run Effects of Warfare on Health." Dalhousie University working paper.
- Akresh, Richard, and Damien de Walque. 2008. "Armed Conflict and Schooling: Evidence from the 1994 Rwandan Genocide." IZA Discussion Paper 3516.
- Akresh, Richard, Leonardo Lucchetti, and Harsha Thirumurthy. 2012. "Wars and Child Health: Evidence from the Eritrean-Ethiopian Conflict". *Journal of Development Economics*, 99(2): 330-340.
- Akresh, Richard, Philip Verwimp, and Tom Bundervoet. 2011. "Civil War, Crop Failure, and Child Stunting in Rwanda." *Economic Development and Cultural Change*, 59(4): 777-810.
- Akresh, Richard, Sonia Bhalotra, Marinella Leone, and Una Osili. 2012. "War and Stature: Growing Up During the Nigerian Civil War." *American Economic Review*, 102(3): 273-277.
- Akresh, Richard. 2009. "Flexibility of Household Structure: Child Fostering Decisions in Burkina Faso." *Journal of Human Resources*, 44(4): 976-997.
- Alderman, Harold, John Hoddinott, and Bill Kinsey. 2006. "Long Term Consequences of Early Childhood Malnutrition." *Oxford Economic Papers*, 58(3): 450-474.
- Almond, Douglas and Bhashkar Mazumder. 2011. "Health Capital and the Prenatal Environment: The Effect of Ramadan Observance During Pregnancy." *American Economic Journal: Applied Economics*, 3(4), 56-85.
- Almond, Douglas. 2006. "Is the 1918 Influenza Pandemic Over? Long-term Effects of In Utero Influenza Exposure in the Post-1940 US Population." *Journal of Political Economy*, 114(4): 672-712.
- Angrist, Joshua. 1990. "Lifetime Earnings and the Vietnam Era Draft Lottery: Evidence from Social Security Administrative Records." *American Economic Review*, 80(3): 313-336.
- Baez, Javier. 2011. "Civil Wars Beyond Their Borders: The Human Capital and Health Consequences of Hosting Refugees." *Journal of Development Economics*, 96(2): 391-408.

- Barker, David J.P. 1995. "Fetal Origins of Coronary Heart Disease." *British Medical Journal*, 311(6998): 171-174.
- Bellows, John, and Miguel, Edward. 2009. "War and Local Collective Action in Sierra Leone." *Journal of Public Economics*, 93(11-12): 1144-1157.
- Bhalotra, Sonia and Atheendar Venkataramani. 2012. "Shadows of the Captain of the Men of Death: Early Life Health Interventions, Human Capital Investments, and Institutions." University of Essex Manuscript.
- Blattman, Christopher, and Jeannie Annan. 2010. "The Consequences of Child Soldiering." *Review of Economics and Statistics*, 92(4): 882-898.
- Bleakley, Hoyt. 2007. Disease and Development: Evidence from Hookworm Eradication in the American South." *Quarterly Journal of Economics*, 122(1): 73-117.
- Brakman, Steven, Harry Garretsen, and Marc Schramm. 2004. "The Strategic Bombing of German Cities During World War II and Its Impact on City Growth." *Journal of Economic Geography*, 4(2): 201-218
- Bundervoet, Tom, Philip Verwimp, and Richard Akresh. 2009. "Health and Civil War in Rural Burundi." *Journal of Human Resources*, 44(2): 536-563.
- Burke, Marshall, Solomon M. Hsiang, and Edward Miguel. 2014. "Climate and Conflict." NBER Working Paper 20598.
- Caruso, German. 2014a. "Intergenerational Transmission of Shocks in Early Life: Evidence from the Tanzania Great Flood of 1993." University of Illinois, working paper.
- Caruso, German. 2014b. "The Legacy of Natural Disasters: The Intergenerational Impact of 100 Years of Natural Disasters in Latin America." University of Illinois, working paper.
- Case, Anne, Angela Fertig, and Christina Paxson. 2005. "The Lasting Impact of Childhood Health and Circumstance." *Journal of Health Economics*, 24(2): 365-389.
- Collier, Paul, and Anke Hoeffler. 1998. "On the Economic Causes of Civil War." *Oxford Economic Papers*, 50(4): 563-573.
- Currie, Janet and Maya Rossin-Slater. 2013. "Weathering the Storm: Hurricanes and Birth Outcomes." *Journal of Health Economics*, 32(3): 487-503.
- Currie, Janet and Tom Vogl. 2013. "Early-Life Health and Adult Circumstance in Developing Countries." *Annual Review of Economics*, 5(1): 1-36.
- Currie, Janet, Matthew Neidell, and Johannes Schmieder. 2009. "Air Pollution and Infant Health: Lessons from New Jersey." *Journal of Health Economics*, 28(3): 688-703.

- Davis, Donald, and David Weinstein. 2002. "Bones, Bombs, and Break Points: The Geography of Economic Activity." *The American Economic Review*, 92(5): 1269-1289.
- Dercon, Stefan and Catherine Porter. 2010. "Live Aid Revisited: Long-Term Impacts of the 1984 Ethiopian Famine on Children." Center for the Study of African Economies Working Paper 2010-39.
- Do, Quy-Toan, and Lakshmi Iyer. 2010. "Geography, Poverty and Conflict in Nepal." *Journal of Peace Research*, 47(6): 735-748.
- Endara, Skye, Margaret Ryan, Carter Sevick, Ava Marie Conlin, Caroline Macera, and Tyler Smith. 2009. "Does Acute Maternal Stress in Pregnancy Affect Infant Health Outcomes? Examination of a Large Cohort of Infants Born After the Terrorist Attacks of September 11, 2001." *BMC Public Health*, 9(252): doi: 10.1186/1471-2458-9-252.
- Eritrea Ethiopia Claims Commission. 2005. "Partial Award Jus Ad Bellum Ethiopia's Claims 1-8 between The Federal Democratic Republic of Ethiopia and The State of Eritrea." The Hague, December 19, 2005.
- Fletcher, Jason. 2014. "Examining the Long Term Mortality Effects of Early Health Shocks." University of Wisconsin, Madison working paper.
- Global IDP Project. 2004a. "Profile of Internal Displacement: Eritrea, Compilation of the Information Available in the Global IDP Database of the Norwegian Refugee Council."
- Global IDP Project. 2004b. "Profile of Internal Displacement: Ethiopia, Compilation of the Information Available in the Global IDP Database of the Norwegian Refugee Council."
- Harari, Mariaflavia and Eliana La Ferrara. 2013. "Conflict, Climate and Cells: A Disaggregated Analysis." CEPR Discussion Paper 9277.
- Human Rights Watch. 2003. "The Horn of Africa War: Mass Expulsions and the Nationality Issue." *Human Rights Watch*, 15(3A).
- Internal Displacement Monitoring Center (IDMC). 2010. "Internal Displacement: Global Overview of Trends and Developments in 2009."
- Krishnan, Pramila, Tesfaye Selassie, and Stefan Dercon. 1998. "The Urban Labor Market During Structural Adjustment: Ethiopia 1990-1997." Report No. WPS 98-9. Center for the Study of African Economies, Oxford University.
- Maccini, Sharon, and Dean Yang. 2009. "Under the Weather: Health, Schooling, and Socioeconomic Consequences of Early-Life Rainfall." *American Economic Review*, 99(3): 1006-1026.

- Maluccio, John, John Hoddinott, Jere Behrman, Reynaldo Martorell, Agnes Quisumbing, and Aryeh Stein. 2009. "The Impact of Improving Nutrition During Early Childhood on Education among Guatemalan Adults." *Economic Journal*, 119(537): 734-763.
- Mansour, Hani and Daniel Rees. 2012. "Armed Conflict and Birth Weight: Evidence from the Al-Aqsa Intifada." *Journal of Development Economics*, 99(1): 190-199.
- Miguel, Edward, and Gerard Roland. 2011. "The Long Run Impact of Bombing Vietnam." *Journal of Development Economics*, 96(1): 1-15.
- Miguel, Edward, Shanker Satyanath, and Ernest Sergenti. 2004. "Economic Shocks and Civil Conflict: An Instrumental Variables Approach." *Journal of Political Economy*, 114(4): 725-753.
- Moulton, Brent. 1986. "Random Group Effects and the Precision of Regression Estimates." *Journal of Econometrics*, 32(3): 385-397.
- Nilsson, J Peter. 2009. "The Long-term Effects of Early Childhood Lead Exposure: Evidence from the Phase-out of Leaded Gasoline." Institute for Labor Market Policy Evaluation (IFAU) Working Paper.
- Raleigh, Clionadh, Andrew Linke, Havard Hegre, and Joakim Karlsen. 2010. "Introducing ACLED: An Armed Conflict Location and Event Dataset," *Journal of Peace Research*, 47(5): 651-660.
- Rosales-Rueda, Maria Fernanda. 2014. "Impact of Early Life Shocks on Human Capital Formation: Evidence from El Nino Floods in Ecuador." University of California Irvine working paper.
- Shemyakina, Olga. 2011. "The Effect of Armed Conflict on Accumulation of Schooling: Results from Tajikistan." *Journal of Development Economics*, 95(2): 186-200.
- Strauss, John, and Duncan Thomas. 2008. "Health Over the Life Course." In *Handbook of Development Economics*, vol. 4, ed. Paul Schultz and John Strauss, 3375-3474. Amsterdam: North-Holland.
- United States Central Intelligence Agency. 2014. "CIA World Factbook" Downloaded from www.cia.gov on October 28, 2014.
- Valente, Christine. Forthcoming. "Civil Conflict, Gender-Specific Fetal Loss, and Selection: A New Test of the Trivers-Willard Hypothesis." *Journal of Health Economics*.
- World Health Organization. 1995. "Physical Status: The Use and Interpretation of Anthropometry. Report of a WHO Expert Committee." *World Health Organization Technical Report Series* 854:1-452.

Figure 1: Eritrea and Ethiopia Regional Map Indicating Conflict Sites



Notes: The main fighting between Eritrea and Ethiopia occurred around the areas of Badme, Tsorona-Zalambessa, and Bure, which are noted on the map. Map source: Constructed by Rafael Garduño-Rivera in ArcGIS.

Table 1: Child and Household Characteristics, By Proximity to War Sites

| | Ethiopia | | | Eritrea | | |
|---|--------------------------|------------------------------|---------------------------|--------------------------|------------------------------|---------------------------|
| | Near to War Sites (1) | Not Near to War Sites (2) | Difference (2)-(1)=(3) | Near to War Sites (4) | Not Near to War Sites (5) | Difference (5)-(4)=(6) |
| <i>Panel A: Child Characteristics</i> | | | | | | |
| Height-for-age Z-score | -2.043 [0.050] | -1.770 [0.015] | 0.273*** [0.062] | -1.602 [0.033] | -1.551 [0.029] | 0.052 [0.044] |
| Male | 0.478 [0.018] | 0.507 [0.004] | 0.029 [0.018] | 0.514 [0.011] | 0.523 [0.009] | 0.009 [0.014] |
| Age in Years | 2.130 [0.049] | 2.015 [0.012] | -0.114** [0.515] | 2.035 [0.031] | 2.041 [0.027] | 0.006 [0.041] |
| <i>Panel B: Household Characteristics</i> | | | | | | |
| Household Head Is Male | 0.759 [0.015] | 0.851 [0.003] | 0.092*** [0.013] | 0.555 [0.011] | 0.669 [0.009] | 0.113*** [0.014] |
| Household Head Age | 42.346 [0.442] | 39.399 [0.100] | -2.948*** [0.424] | 40.689 [0.300] | 41.538 [0.237] | 0.849** [0.377] |
| Household Head Years School | 1.029 [0.084] | 2.146 [0.032] | 1.116*** [0.134] | 1.702 [0.066] | 1.963 [0.065] | 0.260*** [0.094] |
| Mother Height (cm) | 155.606 [0.210] | 156.924 [0.061] | 1.318*** [2.546] | 156.532 [0.123] | 156.062 [0.110] | -0.470*** [0.166] |
| Household Size | 6.365 [0.020] | 6.153 [0.074] | 0.212** [0.085] | 6.222 [0.048] | 6.139 [0.040] | -0.083 [0.063] |
| Number of Children Under 5 | 1.801 [0.025] | 1.763 [0.007] | -0.039 [0.028] | 1.815 [0.015] | 1.846 [0.013] | 0.031 [0.020] |
| Urban (percentage) | 0.096 [0.011] | 0.181 [0.003] | 0.085*** [0.014] | 0.211 [0.009] | 0.315 [0.009] | 0.105*** [0.012] |
| Observations | 780 | 13,056 | | 2,204 | 2,935 | |

Note: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. “Near to War Sites” indicates a child living within 100 km from any of the three conflict sites. “Not Near to War Sites” indicates a child living farther away than 100 km from any of the three conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Table 2: Impacts of War Exposure on Children's Height-for-age Z-score, Using War Region

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | | Based on potential residence at the time of the war | | Based on residence at the time of the war | |
|---|---|----------------------|---|----------------------|--|----------------------|
| | (1) | (2) | (3) | (4) | (5) | (6) |
| Panel A: Ethiopia | | | | | | |
| Total Months of War Exposure | -0.017*** [0.005] | | -0.014*** [0.004] | | | |
| Months of War Exposure <i>In Utero</i> | | 0.009 [0.013] | | 0.001 [0.010] | | |
| Months of War Exposure After Birth | | -0.019*** [0.005] | | -0.015*** [0.004] | | |
| Observations | 13,836 | 13,836 | 13,836 | 13,836 | | |
| Panel B: Eritrea | | | | | | |
| Total Months of War Exposure | -0.039*** [0.007] | | -0.040*** [0.007] | | -0.042*** [0.007] | |
| Months of War Exposure <i>In Utero</i> | | -0.034*** [0.004] | | -0.033*** [0.008] | | -0.037*** [0.008] |
| Months of War Exposure After Birth | | -0.047*** [0.004] | | -0.050*** [0.009] | | -0.049*** [0.009] |
| Observations | 5,139 | 5,139 | 5,139 | 5,139 | 5,139 | 5,139 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In columns 1 and 2, the child's place of residence is based on the region of residence at the time of the survey. In columns 3 and 4, the child's place of residence is based on the *potential* region of residence at the time of the war, whereby any child who moved during the war is reassigned to a war region regardless of residence at the time of the survey (i.e. for every child who moved during the war and is currently residing in a non-war region, we reassign exposure status as if the child had been living in a war region during the war). This is a conservative approach to dealing with the bias due to endogenous migration as some children who moved during the war and currently reside in a non-war region might have been living in another non-war region during the war. In columns 5 and 6, the child's place of residence is based on the region of residence at the start of the war (information which is only available in the Eritrea data). The war regions in Ethiopia are Tigray and Afar. The war regions in Eritrea are Gash Barka, Debub, and Debubawi Keyih Bahri. "Total months of war exposure" measures the number of months a child was alive or *in utero* during the war period and living in a war region. "Months of war exposure *in utero*" measures the number of months a child was *in utero* during the war period and living in a war region. "Months of war exposure after birth" measures the number of months a child was alive during the war period and living in a war region. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Table 3: Impacts of War Exposure on Children's Height-for-age Z-score, Using War Intensity

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | | Based on potential residence at the time of the war | | Based on residence at the time of the war | |
|--|--|------------------------|---|------------------------|--|------------------------|
| | (1) | (2) | (3) | (4) | (5) | (6) |
| Panel A: Ethiopia | | | | | | |
| Intensity of Total Months of War Exposure | -0.0017*** [0.0005] | | -0.0002*** [0.0000] | | | |
| Intensity of Months of War Exposure <i>In Utero</i> | | -0.0014 [0.0014] | | 0.0001 [0.0001] | | |
| Intensity of Months of War Exposure After Birth | | -0.0020*** [0.0005] | | -0.0002*** [0.0000] | | |
| Observations | 13,836 | 13,836 | 13,836 | 13,836 | | |
| Panel B: Eritrea | | | | | | |
| Intensity of Total Months of War Exposure | -0.0015*** [0.0003] | | -0.0015*** [0.0003] | | -0.0016*** [0.0003] | |
| Intensity of Months of War Exposure <i>In Utero</i> | | -0.0013*** [0.0004] | | -0.0013*** [0.0004] | | -0.0014*** [0.0004] |
| Intensity of Months of War Exposure After Birth | | -0.0018*** [0.0004] | | -0.0017*** [0.0004] | | -0.0018*** [0.0004] |
| Observations | 5,139 | 5,139 | 5,139 | 5,139 | 5,139 | 5,139 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In columns 1 and 2, the child's place of residence is based on the region of residence at the time of the survey. In columns 3 and 4, the child's place of residence is based on the *potential* region of residence at the time of the war, whereby any child who moved during the war is reassigned to a war region regardless of residence at the time of the survey. In columns 5 and 6, the child's place of residence is based on the region of residence at the start of the war (information which is only available in the Eritrea data). "Intensity of total months of war exposure" indicates for each region the number of internally displaced persons (IDPs) as a proportion of the region's pre-war population for each month a child was alive or *in utero* during the war period and living in a war region. "Intensity of months of war exposure *in utero*" indicates for each region the number of IDPs as a proportion of the region's pre-war population for each month a child was *in utero* during the war period and living in a war region. "Intensity of months of war exposure after birth" indicates for each region the number of IDPs as a proportion of the region's pre-war population for each month a child was alive during the war period and living in a war region. Displacement data for Ethiopia and Eritrea come from the United Nations Office for the Coordination of Humanitarian Affairs (UN OCHA). Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Table 4a: Impacts of War Exposure on Children's Height-for-age Z-score, Using GPS Location

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | | Based on potential residence at the time of the war | |
|---|---|----------------------|--|----------------------|
| | Ethiopia | Eritrea | Ethiopia | Eritrea |
| | (1) | (2) | (3) | (4) |
| Panel A: Total Months of War Exposure | | | | |
| Total Months of War Exposure (0-100 km) | -0.049*** [0.012] | -0.073*** [0.022] | -0.010** [0.005] | -0.090*** [0.015] |
| Total Months of War Exposure (100-200 km) | -0.033** [0.016] | -0.059*** [0.008] | -0.013 [0.008] | -0.054*** [0.007] |
| Total Months of War Exposure (200-300 km) | -0.015* [0.009] | -0.056*** [0.008] | -0.004 [0.005] | -0.045*** [0.007] |
| Observations | 13,836 | 5,139 | 13,836 | 5,139 |
| P-value testing equality between proximity variables: | | | | |
| 0-100 km = 200-300 km | 0.013 | 0.468 | 0.297 | 0.001 |
| 0-100 km = 100-200 km | 0.403 | 0.568 | 0.761 | 0.012 |
| 100-200 km = 200-300 km | 0.294 | 0.708 | 0.336 | 0.069 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In columns 1 and 2, the child's place of residence is based on the residence at the time of the survey. In columns 3 and 4, the child's place of residence is based on the *potential* residence at the time of the war, whereby any child who moved during the war is reassigned to the closest distance (0-100 km) regardless of residence at the time of the survey. "Total months of war exposure" measures the number of months a child was alive or *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Table 4b: Impacts of War Exposure on Children's Height-for-age Z-score, Using GPS Location

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | | Based on potential residence at the time of the war | |
|---|---|----------------------|---|----------------------|
| | Ethiopia (1) | Eritrea (2) | Ethiopia (3) | Eritrea (4) |
| Panel B: Months <i>in utero</i>/after birth | | | | |
| Months of War Exposure <i>In Utero</i> (0-100 km) | -0.036** [0.017] | -0.073*** [0.026] | -0.009 [0.011] | -0.082*** [0.025] |
| Months of War Exposure <i>In Utero</i> (100-200 km) | -0.017 [0.024] | -0.060*** [0.010] | -0.001 [0.012] | -0.061*** [0.010] |
| Months of War Exposure <i>In Utero</i> (200-300 km) | -0.016 [0.012] | -0.058*** [0.009] | 0.003 [0.024] | -0.051*** [0.009] |
| Months of War Exposure After Birth (0-100 km) | -0.055*** [0.013] | -0.072** [0.029] | -0.011** [0.005] | -0.088*** [0.017] |
| Months of War Exposure After Birth (100-200 km) | -0.040** [0.016] | -0.059*** [0.010] | -0.014 [0.008] | -0.048*** [0.009] |
| Months of War Exposure After Birth (200-300 km) | -0.014 [0.009] | -0.053*** [0.010] | -0.004 [0.005] | -0.040*** [0.009] |
| Observations | 13,836 | 5,139 | 13,836 | 5,139 |
| P-value testing equality between proximity variables: | | | | |
| 0-100 km (after birth) = 200-300 km (after birth) | 0.004 | 0.510 | 0.220 | 0.002 |
| 0-100 km (after birth) = 100-200 km (after birth) | 0.459 | 0.670 | 0.777 | 0.012 |
| 100-200 km (after birth) = 200-300 km (after birth) | 0.134 | 0.584 | 0.285 | 0.096 |
| 0-100 km (<i>in utero</i>) = 200-300 km (<i>in utero</i>) | 0.293 | 0.575 | 0.611 | 0.212 |
| 0-100 km (<i>in utero</i>) = 100-200 km (<i>in utero</i>) | 0.496 | 0.621 | 0.562 | 0.399 |
| 100-200 km (<i>in utero</i>) = 200-300 km (<i>in utero</i>) | 0.965 | 0.876 | 0.872 | 0.312 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In columns 1 and 2, the child's place of residence is based on the region of residence at the time of the survey. In columns 3 and 4, the child's place of residence is based on the *potential* residence at the time of the war, whereby any child who moved during the war is reassigned to the closest distance (0-100 km) regardless of residence at the time of the survey. "Months of war exposure *in utero*" measures the number of months a child was *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. "Months of war exposure after birth" measures the number of months a child was alive during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Table 5: Impacts of War Exposure on Children’s Height-for-age Z-score, Using GPS Location (By Gender)

| Dependent Variable: Height-for-age Z-score | Male | | Female | |
|---|---------------------|----------------------|----------------------|----------------------|
| | Ethiopia (1) | Eritrea (2) | Ethiopia (3) | Eritrea (4) |
| Total Months of War Exposure (0-100 km) | -0.034** [0.016] | -0.112*** [0.033] | -0.060*** [0.015] | -0.029 [0.029] |
| Total Months of War Exposure (100-200 km) | -0.013 [0.027] | -0.069*** [0.012] | -0.059*** [0.020] | -0.051*** [0.011] |
| Total Months of War Exposure (200-300 km) | -0.005 [0.011] | -0.059*** [0.011] | -0.023** [0.011] | -0.054*** [0.010] |
| Observations | 6,997 | 2,667 | 6,839 | 2,472 |
| P-value testing equality between proximity variables: | | | | |
| 0-100 km = 200-300 km | 0.116 | 0.109 | 0.029 | 0.403 |
| 0-100 km = 100-200 km | 0.484 | 0.199 | 0.964 | 0.473 |
| 100-200 km = 200-300 km | 0.781 | 0.442 | 0.098 | 0.792 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In all regressions, the child's place of residence is based on the region of residence at the time of the survey. “Total months of war exposure” measures the number of months a child was alive or *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys

Table 6: Impacts of War Exposure on Potential Mechanisms

| Dependent Variable: | Delivery at Hospital (1) | Small Birth Size (2) | Duration of Postpartum Amenorrhea (in months) (3) | Number of Vaccines First Year (4) |
|---|-----------------------------|-------------------------|--|--------------------------------------|
| Panel A: Ethiopia | | | | |
| Total Months of War Exposure (0-100 km) | -0.285* [0.166] | 0.468** [0.238] | 0.031 [0.101] | -1.291 [1.426] |
| Total Months of War Exposure (100-200 km) | -0.279 [0.225] | 0.539* [0.298] | -0.083 [0.095] | 3.555 [2.862] |
| Total Months of War Exposure (200-300 km) | -0.075 [0.155] | -0.274 [0.181] | 0.110* [0.058] | 0.727 [1.151] |
| Observations | 13,722 | 13,836 | 13,330 | 13,836 |
| Panel B: Eritrea | | | | |
| Total Months of War Exposure (0-100 km) | -0.112 [0.501] | -0.404 [0.362] | 0.092 [0.118] | 0.114 [0.119] |
| Total Months of War Exposure (100-200 km) | -0.131 [0.194] | -0.078 [0.124] | 0.305*** [0.041] | -0.025** [0.012] |
| Total Months of War Exposure (200-300 km) | 0.274 [0.190] | -0.008 [0.109] | 0.189*** [0.036] | 0.004 [0.019] |
| Observations | 5,132 | 5,139 | 4,926 | 5,139 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. “Delivery at hospital” indicates the percentage of children who were delivered at a hospital or health clinic (means: Ethiopia=12%, Eritrea=22%). “Duration of postpartum amenorrhea” measures the number of postpartum months the mother experienced amenorrhea (means: Ethiopia=9.9, Eritrea=11.5). “Small birth size” indicates the percentage of children recorded as very small at birth (means: Ethiopia=10.0%, Eritrea=4.1%). “Number of Vaccines First Year” measures the number of vaccinations the child received in their first year of life (means: Ethiopia=1.05, Eritrea=1.24). The child's place of residence is based on the region of residence at the time of the survey. “Total months of war exposure” measures the number of months a child was alive or *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 1: Impacts in Ethiopia and Eritrea of War Exposure on Children's Height-for-age Z-score, Using War Region

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | | Based on potential residence at the time of the war | |
|--|---|----------------------|---|----------------------|
| | (1) | (2) | (3) | (4) |
| Total Months of War Exposure * Eritrea | -0.023*** [0.005] | | -0.027*** [0.004] | |
| Months of War Exposure <i>In Utero</i> * Eritrea | | -0.043*** [0.013] | | -0.046*** [0.009] |
| Months of War Exposure After Birth * Eritrea | | -0.028*** [0.005] | | -0.035*** [0.010] |
| Total Months of War Exposure | -0.017*** [0.005] | | -0.014*** [0.004] | |
| Months of War Exposure <i>In Utero</i> | | 0.009 [0.013] | | 0.013*** [0.000] |
| Months of War Exposure After Birth | | -0.019*** [0.005] | | -0.017*** [0.000] |
| Observations | 18,975 | 18,975 | 18,975 | 18,975 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In addition, interactions of all of these variables with Eritrea were also included in the regressions. In columns 1 and 2, the child's place of residence is based on the region of residence at the time of the survey. In columns 3 and 4, the child's place of residence is based on the *potential* region of residence at the time of the war, whereby any child who moved during the war is reassigned to a war region regardless of residence at the time of the survey. The war regions in Ethiopia are Tigray and Afar. The war regions in Eritrea are Gash Barka, Debub, and Debubawi Keyih Bahri. "Total months of war exposure" measures the number of months a child was alive or *in utero* during the war period and living in a war region. "Months of war exposure *in utero*" measures the number of months a child was *in utero* during the war period and living in a war region. "Months of war exposure after birth" measures the number of months a child was alive during the war period and living in a war region. "Eritrea" indicates a child living in Eritrea. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 2a: Impacts in Ethiopia and Eritrea of War Exposure on Children's Height-for-age Z-score, Using GPS Location

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey (1) | Based on potential residence at the time of the war (2) |
|---|---|--|
| Total Months of War Exposure (0-100 km) * Eritrea | -0.024* [0.012] | -0.080*** [0.005] |
| Total Months of War Exposure (100-200 km) * Eritrea | -0.027* [0.016] | -0.041*** [0.008] |
| Total Months of War Exposure (200-300 km) * Eritrea | -0.041*** [0.009] | -0.041*** [0.005] |
| Total Months of War Exposure (0-100 km) | -0.049*** [0.012] | -0.010** [0.005] |
| Total Months of War Exposure (100-200 km) | -0.033** [0.016] | -0.013 [0.008] |
| Total Months of War Exposure (200-300 km) | -0.015* [0.009] | -0.004 [0.005] |
| Observations | 18,975 | 18,975 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In addition, interactions of all of these variables with Eritrea were also included in the regressions. In column 1, the child's place of residence is based on the region of residence at the time of the survey. In column 2, the child's place of residence is based on the *potential* residence at the time of the war, whereby any child who moved during the war is reassigned to the closest distance (0-100 km) regardless of residence at the time of the survey. "Total months of war exposure" measures the number of months a child was alive or *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 2b: Impacts in Ethiopia and Eritrea of War Exposure on Children's Height-for-age Z-score, Using GPS Location

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey (1) | Based on potential residence at the time of the war (2) |
|---|---|--|
| Months of War Exposure <i>In Utero</i> (0-100 km) * Eritrea | -0.037** [0.017] | -0.073*** [0.011] |
| Months of War Exposure <i>In Utero</i> (100-200 km) * Eritrea | -0.043* [0.024] | -0.060*** [0.012] |
| Months of War Exposure <i>In Utero</i> (200-300 km) * Eritrea | -0.042*** [0.012] | -0.054** [0.024] |
| Months of War Exposure After Birth (0-100 km) * Eritrea | -0.017 [0.013] | -0.077*** [0.005] |
| Months of War Exposure After Birth (100-200 km) * Eritrea | -0.019 [0.016] | -0.034*** [0.008] |
| Months of War Exposure After Birth (200-300 km) * Eritrea | -0.039*** [0.009] | -0.035*** [0.005] |
| Months of War Exposure <i>In Utero</i> (0-100 km) | -0.036** [0.017] | -0.009 [0.011] |
| Months of War Exposure <i>In Utero</i> (100-200 km) | -0.017 [0.024] | -0.001 [0.012] |
| Months of War Exposure <i>In Utero</i> (200-300 km) | -0.016 [0.012] | 0.003 [0.024] |
| Months of War Exposure After Birth (0-100 km) | -0.055*** [0.013] | -0.011** [0.005] |
| Months of War Exposure After Birth (100-200 km) | -0.040** [0.016] | -0.014 [0.008] |
| Months of War Exposure After Birth (200-300 km) | -0.014 [0.009] | -0.004 [0.005] |
| Observations | 18,975 | 18,975 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. In addition, interactions of all of these variables with Eritrea were also included in the regressions. In column 1, the child's place of residence is based on the region of residence at the time of the survey. In column 2, the child's place of residence is based on the *potential* residence at the time of the war, whereby any child who moved during the war is reassigned to the closest distance (0-100 km) regardless of residence at the time of the survey. "Months of war exposure *in utero*" measures the number of months a child was *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. "Months of war exposure after birth" measures the number of months a child was alive during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 3: Impacts of War Exposure on Children's Height-for-age Z-score, Including Mother Fixed Effects

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | |
|--|--|-----------------------|
| | Ethiopia (1) | Eritrea (2) |
| Total Months of War Exposure (0-100 km) | -0.037* [0.019] | -0.015 [0.014] |
| Total Months of War Exposure (100-200 km) | -0.003 [0.026] | -0.030*** [0.007] |
| Total Months of War Exposure (200-300 km) | -0.033** [0.016] | -0.027*** [0.007] |
| Observations | 10,185 | 3,126 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include mother fixed effects, child age fixed effects, region-specific time trends, and child gender controls. In all columns, the child's place of residence is based on the region of residence at the time of the survey. "Total months of war exposure" measures the number of months a child was alive or *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 4: Impacts of War Exposure on Children's Height-for-age Z-score, using GPS Location

| Dependent Variable: Height-for-age Z-score | Based on residence at the time of the survey | | | |
|--|--|----------------------|----------------------|----------------------|
| | Ethiopia | | Eritrea | |
| | (1) | (2) | (3) | (4) |
| Panel A: Total Months of exposure | | | | |
| Total Months of War Exposure (by Relative Proximity) | -0.004*** [0.001] | | -0.015*** [0.002] | |
| Months of War Exposure <i>In Utero</i> (by Relative Proximity) | | -0.003** [0.001] | | -0.021*** [0.003] |
| Months of War Exposure After Birth (by Relative Proximity) | | -0.004*** [0.001] | | -0.011*** [0.003] |
| Observations | 13,836 | 13,836 | 5,139 | 5,139 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. The child's place of residence is based on the region of residence at the time of the survey. "Total months of war exposure (by relative proximity)" measures the number of months a child was alive or *in utero* during the war period and living in relative proximity to the conflict sites. Specifically, proximity is defined for each country as the maximum distance from the conflict site minus the household's actual distance to the conflict site. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 5: Endogenous Fertility: Characteristics of Women Having a Child During War

| Dependent Variable: | Women's characteristics | | | | Household heads' characteristics | |
|--|---------------------------|-------------------------|------------------------------|----------------------|----------------------------------|---------------------|
| | Years of education (1) | Number of births (2) | Height in centimeters (3) | Age (4) | Age (5) | Gender (6) |
| Panel A: Ethiopia | | | | | | |
| War Region * Has a Child Born During War | 0.001 [0.307] | -0.203 [0.194] | 0.740* [0.438] | -0.713 [0.563] | 0.234 [1.005] | -0.024 [0.037] |
| War Region | 2.644*** [0.416] | -0.339** [0.168] | 0.128 [0.413] | 0.444 [0.472] | 0.592 [0.934] | 0.015 [0.034] |
| Has a Child Born During War | -0.252** [0.107] | 0.790*** [0.101] | -0.630*** [0.229] | 1.169*** [0.302] | -1.000* [0.561] | 0.017 [0.019] |
| Constant | 1.194*** [0.124] | 3.610*** [0.081] | 156.518*** [0.228] | 29.609*** [0.261] | 42.000*** [0.514] | 0.592*** [0.020] |
| Observations | 6,833 | 6,833 | 6,833 | 6,833 | 6,792 | 6,792 |
| Panel B: Eritrea | | | | | | |
| War Region * Has a Child Born During War | -0.200 [0.232] | 0.205 [0.172] | 0.169 [0.393] | 0.887* [0.513] | 0.320 [0.947] | -0.050 [0.033] |
| War Region | -0.771** [0.322] | 0.053 [0.143] | -0.067 [0.391] | -0.660 [0.438] | -1.587* [0.877] | -0.013 [0.033] |
| Has a Child Born During War | -0.312* [0.188] | 0.650*** [0.126] | -0.540* [0.295] | 0.471 [0.380] | -1.228* [0.719] | 0.036 [0.025] |
| Constant | 2.431*** [0.264] | 3.478*** [0.103] | 156.594*** [0.310] | 30.122*** [0.328] | 43.088*** [0.691] | 0.603*** [0.023] |
| Observations | 4,114 | 4,116 | 4,070 | 4,116 | 4,101 | 4,116 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. The war regions in Ethiopia are Tigray and Afar. The war regions in Eritrea are Gash Barka, Debub, and Debubawi Keyih Bahri. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.

Appendix Table 6: Impacts of War Exposure on Child Mortality, Using GPS Location

| Dependent Variable: Child Mortality | Based on residence at the time of the survey | |
|---|--|-----------------------|
| | Ethiopia (1) | Eritrea (2) |
| Total Months of War Exposure (0-100 km) | 0.002* [0.001] | 0.006 [0.004] |
| Total Months of War Exposure (100-200 km) | -0.001 [0.001] | 0.001 [0.002] |
| Total Months of War Exposure (200-300 km) | 0.001 [0.001] | 0.002 [0.001] |
| Observations | 16,234 | 5,600 |

Notes: Robust standard errors in brackets, clustered at the enumeration level. * significant at 10%, ** significant at 5%, and *** significant at 1%. All specifications include child age fixed effects, region fixed effects, region-specific time trends, DHS round fixed effects (for Ethiopia), child gender, and controls for household characteristics. The child's place of residence is based on the region of residence at the time of the survey. "Total months of war exposure" measures the number of months a child was alive or *in utero* during the war period and living within 0-100 km, 100-200 km, 200-300 km, or more than 300 km respectively from the conflict sites. The reference group is children living more than 300 km from the conflict sites. Data source: 2002 Eritrea and 2000 and 2005 Ethiopia Demographic and Health Surveys.